GLAZING SYSTEMS SPECIFICATION MANUAL

NATIONAL VERSION (2021)

This manual prepared for the Fenestration Association of British Columbia

Acknowledgements

This current manual was created by Morrison Hershfield

A substantial amount of information contained herein was taken from the 2010 Edition of the Glazing system specification Manual. The following persons and companies were responsible for creation of the previous edition:

Acknowledgements

The original manual was created by Al Jaugelis BSc (Arch)

With assistance from

Rudi Kevesdi – Division 8 Consulting; Gary Berkeley – Berkeley Engineering; David Hussion – DH Glass Solutions; Leonard Pianalto – Read Jones Christoffersen; GCABC Technical Committee Members

The national 2010 version was created with assistance from the following persons and companies.

Leonard Pianalto, M.Sc., P.Eng., LEED AP - Read Jones Christoffersen; Carmen Chun, EIT, LEED AP - Read Jones Christoffersen; Philip Parker, P.Eng.-Read Jones Christoffersen; Brent Harder, P.Eng., GSC - Ferguson Glass; Steve Gusterson, CTR - Alumicor Limited; John Mastrofini, P.Eng.;

Figures, tables and visuals were donated by the following companies:

Dow Corning; B3 Glass; Kawneer; Alumicor; Ferguson Glass; Construction Specifications Canada – Technical Studies Committee

Glazing Contractors Association of British Columbia (2010 Board of Directors) David Langton – Competition Glass; Todd Domstad – Nu Glass Projects; Marty Nixon – National Glass; Brian Romanchuk – Flynn Canada; Debra Dotschkat – GC Glass Canada; Zana Gordon – GCABC Executive Director

Disclaimer: This manual has been prepared as a guide to assist Architects, specifiers, students, manufacturers, designers, and fenestration system installers with respect to design, procurement, evaluation and validation, fabrication/assembly, and installation of fenestration systems. Best efforts have been made to reflect current requirements and practices, however, FENBC, its members, employees, contractors, and agents do not assume any responsibility for the liability or the accuracy or reliability of the contents of this manual. In addition, it is not the intention of FENBC to endorse a particular service, product, supplier, manufacturer, or contractor.

© 2021 by the Fenestration Association of BC

All rights reserved. No part of this manual may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, in whole or in part without the express written permission of the copywrite holder.

GUIDELINES

<u>Guideline 1.1</u> – Introduction to Fenestration Systems (14 pages)

- 1.0 Introduction
- 2.0 Evolution of Canadian Codes/Standards
- 3.0 Basis of Design: Rain Screen Principles
- 4.0 Description of Fenestration Assemblies (2015 NBCC)
 - 4.1 Windows and Doors
 - 4.2 "Other" Fenestration Assemblies

<u>Guideline 1.2</u> – Glass as a Building Material (10 pages)

- 1.0 Introduction
- 2.0 History of Glass
- 3.0 Glass Manufacturing and Characteristics
- 4.0 Manufacturing processes
 - 4.1 Annealed Glass
 - 4.1.1 Plate Glass
 - 4.1.2 Sheet Glass
 - 4.1.3 Rolled Glass
 - 4.1.3.1 Patterned Glass
 - 4.1.3.2 Wired Glass
 - 4.1.3.3 Art Glass
 - 4.2 Tinted Glass
 - 4.2.1 Heat Absorbing Glass
 - 4.2.2 Spectrally Selective Tints
 - 4.3 Low-Iron Glass
- 5.0 Glass Heat Treatment Options
 - 5.1 Tempered Glass
 - 5.1.1 Spontaneous Breakage\Heat Soaking
 - 5.2 Heat Strengthened Glass
 - 5.3 Side Effects of Heat-Treating Glass

<u>Guideline 1.3</u> – Glass Fabrication (28 pages)

- 1.0 Introduction
- 2.0 Glass Fabrication Processes
 - 2.1 Reflective Coated Glass
 - 2.2 Pyrolitic Coatings
 - 2.3 Magnetic Sputter Vacuum Deposited (MSVD) Coatings
 - 2.4 Coating Defects
- 3.0 Laminated Glass Assemblies
 - 3.1 Laminated Glass
 - 3.1.1 Sheet Laminating
 - 3.1.1.1 Delaminating and Bushing
 - 3.1.2 Resin Laminating
 - 3.1.3 Properties
 - 3.1.3.1 Structural Behavior
 - 3.1.3.2 Acoustic Properties

- 3.1.3.3 Ultraviolet Screening
- 3.1.4 Special Applications
 - 3.1.4.1 Security Glass
 - 3.1.4.2 Electrochromic Glass
 - 3.1.4.3 Thermochromic and Photochromic Glass
- 4.0 Insulating Glass Unit (IGU)
 - 4.1 Certification Programs
 - 4.2 Consideration for Durability
 - 4.3 Edge Seals and Spacers
 - 4.3.1 Single and Dual Perimeter Seal Construction
 - 4.3.2 Spacers
 - 4.3.2.1 Warm Edge Spacers
 - 4.3.2.2 Internal Grills and Muntin Bars
 - 4.4 Gas Filling
 - 4.5 Suspended Films
 - 4.6 Visual Defects
 - 4.6.1 Distortion due to Air Pressure Differences
 - 4.7 Size Limitations
- 5.0 Spandrel Glass
 - 5.1 Design Considerations
 - 5.1.1 Visual Characteristics
 - 5.1.2 Heat Build-up
 - 5.1.3 Glass Treatment Types
 - 5.1.3.1 Applied Film
 - 5.1.3.2 Heat Fired Ceramic Frit Glass
 - 5.1.3.3 Silicone Coated Glass
 - 5.1.3.4 Insulating Glass Unit
 - 5.1.3.5 Shadow Box Assembly
- 6.0 Bent Glass
- 7.0 Fire Resistant Glass Products
 - 7.1 Single Pane Glass Products
 - 7.2 Insulating Glass Products
- 8.0 Decorative Effects
 - 8.1 Sandblasting and Etching
 - 8.1.1 Surface Protection
 - 8.2 Ceramic Frit Enamels
 - 8.3 Tinted Laminate
 - 8.3.1 Fractured Laminate Cracked Ice
 - 8.4 Grooved Effects

<u>Guideline 1.4</u> – Compliance and Certification (7 pages)

- 1.0 Introduction
- 2.0 Compliance, Certification, and Accreditation
 - 2.1 Code Requirements
 - 2.2 Project Specification Requirements
- 3.0 Product Certification Programs

- 3.1 Insulating Glass Units
 - 3.1.1 Fenestration & Glazing Industry Alliance (FGIA)
 - 3.1.2 Insulating Glass Certification Council (IGCC)
 - 3.1.3 Associated Labs, Inc.
- 3.2 Safety Glazing Certification Council (SGCC)
- 4.0 Installation Certification Programs (Associations/Contractors driven)
 - 4.1 Interprovincial Standards Red Seal Program: Glazier
 - 4.2 FGIA
 - 4.3 AGMCC/AGMT/NACC

Guideline 2.1 – Design (1 page)

1.0 Introduction

<u>Guideline 2.2</u> – Fenestration Systems (38 pages)

1.0 Introduction

3.0

- 2.0 Major Components
 - 2.1 Framing Components
 - 2.2 Operable Components (doors and windows)
 - Description of Fenestration Systems
 - 3.1 Curtain wall
 - 3.2 Window Wall
 - 3.3 Storefront
 - 3.4 Glazed Architectural Structure
 - 3.5 Skylights and Roof Windows
 - 3.6 Windows

Guideline 2.3 - Design: Building Codes and By-Laws (6 pages)

- 1.0 Introduction
- 2.0 National Building Code of Canada (NBCC)
 - 2.1 NBCC Division A Compliance, Objectives and Functional Statements
 - 2.2 NBCC Division B Acceptable Solutions
 - 2.2.1 Part 3 Buildings
 - 2.2.2 Part 9 Buildings
 - 2.3 NBCC Division C Administrative Provisions
- 3.0 Provincial Building Codes and Municipal Bylaws
 - 3.1 Letters of Commitment and Assurance
- 4.0 National Energy Code

<u>Guideline 2.4</u> – Design: Industry Standards, Specifications and Practices (10 pages)

- 1.0 Introduction
 - 1.1 Use of Quality Standards
 - 1.2 Relevant Standards
 - 1.3 Primary Glass Products
- 2.0 Fabricated Glass Products
 - 2.1 Coated Glass

- 2.2 Heat Treated Glass
- 2.3 Laminated Glass
- 2.4 Safety Glass
- 2.5 Wired Glass
- 2.6 Insulating Glass Unit
- 2.7 Gas Filling
- 2.8 Spandrel Glass
- 2.9 Patterned Glass
- 3.0 Sustainability and Energy Use rating Systems
 - 3.1 Introduction
 - 3.2 Energy Rating (ER)
 - 3.3 Limitations of Energy Rating System
- 4.0 Voluntary Energy Programs
 - 4.1 Energy Star
 - 4.2 R-2000
 - 4.3 The Leadership in Energy and Environmental Design (LEED) Green Building Rating System
 - 4.4 BOMA BESt (Building Environmental Standards)
 - 4.5 National Fenestration Rating Council (NFRC)

<u>Guideline 2.5</u> – **Design: Architectural Considerations** (17 pages)

- 1.0 Introduction
- 2.0 Initial Considerations
 - 2.1 Appearance
 - 2.2 Perceived Performance and Quality 2.2.1 Reference projects and Data
- 3.0 Daylighting
 - 3.1 Fading Control
- 4.0 Energy Performance
 - 4.1 Residential versus Commercial Buildings
 - 4.1.1 Residential Buildings
 - 4.1.2 Commercial Buildings
 - 4.2 Occupant Comfort
- 5.0 Ventilation
- 6.0 Sound Control
 - 6.1 Rating Sound Transmission
 - 6.2 Sound Transmission through Glass
 - 6.3 Reducing Sound Transmission
- 7.0 Overall Layout Capabilities
- 8.0 Aluminum Finishes
 - 8.1 Anodic Coatings
 - 8.2 Organic Coatings
 - 8.2.1 AAMA 2603
 - 8.2.2 AAMA 2604 & 2605
 - 8.3 Urethane Paints
 - 8.4 NAFS Requirement

- 9.0 Visual Impact of Glass
 - 9.1 Importance of Visual Mock-Up

<u>Guideline 2.6</u> – **Design: Structural and Safety Aspects** (19 pages)

- 1.0 Introduction
 - 1.1 Design versus Testing
 - 1.2 Design Approach
 - 1.3 Role of the Engineer
 - Loads and Movements
 - 2.1 Type of Loads
 - 2.2 Thermal Load (Expansion and Contraction)
 - 2.3 Building and Seismic Movements
- 3.0 Deflection

2.0

- 3.1 Out of Plane Deflection
- 4.0 Designing with Aluminum Framing
 - 4.1 Curtain Wall, Window Wall, and Storefront
 - 4.2 Windows
 - 4.3 Skylights
- 5.0 Glass Design Considerations
 - 5.1 Frame to Glass Interface
 - 5.1.1 Preventing Glass to Metal Contact
 - 5.1.2 Reducing Thermal Conductivity
 - 5.1.3 Protection to IGU Perimeter Seals
 - 5.1.3.1 Ponding Water
 - 5.2 Strength
 - 5.3 Breakage Characteristics
 - 5.4 Avoiding Breakage from Thermal Stress
 - 5.4.1 Conditions where breakage can occur
 - 5.4.2 Thermal Stress during and after Construction
 - 5.4.3 Risk Assessment
 - 5.5 Structural Glazing
 - 5.5.1 Bolted Connections
 - 5.5.2 Structural Sealant or Tape Glazing

<u>Guideline 2.6.1</u> – Design: Glass Design to Human Impact (4 pages)

- 1.0 Introduction
- 2.0 Loading Description
- 3.0 Glazing requirements in hazardous locations:
 - 3.1 Glass in doors and sidelights
 - 3.2 Glass in shower and bathtub enclosures, and guards

<u>Guideline 2.6.2</u> – **Design: Structural Silicone Glazing** (25 pages)

- 1.0 Introduction
- 2.0 Basics of SSG
- 3.0 SSG Products
 - 3.1 Single Component Silicone Sealant

- 3.2 Multi Component Silicone Sealant
 - 3.2.1 Dispensing Equipment
- 3.3 Preformed Structural Tape
- 4.0 SSG Joint Design Considerations
 - 4.1 Industry Resources and Practices
 - 4.1.1 Relevant Documents
 - 4.1.2 Adhesion & Compatibility Requirements
 - 4.1.3 Manufacturer Warranty
 - 4.2 Sealant Joint Design
 - 4.2.1 Industry Parameters
 - 4.2.2 Sealant Bead Dimensions
 - 4.2.3 Cleaning Procedures
 - 4.2.4 Priming Purpose
 - 4.2.5 IGU Secondary Sealant
 - 4.2.5.1 Load Sharing Principles
 - 4.2.6 Structural Spacer
 - 4.2.7 Setting Blocks
 - 4.3 Application Considerations
 - 4.3.1 In-plant versus On-site
 - 4.3.2 Glazing Replacement
- 5.0 Quality Assurance Program (QA\QC)
 - 5.1 Mitigating the Risks Importance for Transparency
 - 5.2 Material Confirmation
 - 5.2.1 Sealants
 - 5.2.2 Cleaning and Priming Materials
 - 5.2.3 Framing and Finishes
 - 5.2.4 Glass\IGU
 - 5.2.5 Glazing Accessories
 - 5.3 Handling during Cure, Storage & Packaging of Finished Units
- 6.0 Post Application Preventative Maintenance

<u>Guideline 2.7</u> – **Design: Building Enclosure Design** (12 pages)

- 1.0 Introduction
- 2.0 Performance Parameters
 - 2.1 Air Tightness
 - 2.2 Water Tightness (Static & Dynamic)
 - 2.3 Condensation Resistance
 - 2.3.1 Computer Simulation
 - 2.4 Thermal Performance
 - 2.4.1 Thermal Transmittance (U-value)
 - 2.4.2 Solar Heat Gain Coefficient (SHGC)
 - 2.4.3 Shading Coefficient (SC)
 - 2.4.4 Visible Light Transmittance (VLT)
 - 2.4.5 Glazing Luminous Efficacy (GLE)
 - 2.4.6 National Energy Code for Buildings

- 3.0 Interface Detailing with Adjacent Construction
 - 3.1 Design Considerations
 - 3.2 Product Selection
 - 3.2.1 Materials Available
 - 3.2.1.1 Sealant
 - 3.2.1.2 Precompressed Expanding Foam
 - 3.2.1.3 Membrane
 - 3.2.1.4 Insulation

<u>Guideline 3.1</u> – System Performance: Fenestration Requirements (10 pages)

- 1.0 Introduction
- 2.0 Acceptance of Products (Tested vs Untested)
- 3.0 Structural Performance
 - 3.1 Part 3 Buildings
 - 3.2 Part 9 Buildings
 - 3.3 NAFS Structural Requirements
 - 3.3.1 Conditions Outside NAFS
- 4.0 Performance Evaluation
 - 4.1 Air and Water Tightness
 - 4.2 Thermal Transmittance
 - 4.3 Condensation Resistance
- 5.0 NAFS Specification for Windows, Doors, and Skylights
 - 5.1 Air Tightness
 - 5.2 Water Tightness
 - 5.3 Windload Resistance
 - 5.4 Energy Performance and Condensation Resistance
 - 5.5 Other Qualifying Tests
 - 5.6 Material Specifications
- 6.0 CSA-A440.2 Fenestration Energy Performance

<u>Guideline 3.2</u> – System Performance: Evaluation and Validation (15 pages)

- 1.0 Introduction
- 2.0 Performance Evaluation and Validation Methods
 - 2.1 Product Evaluations
 - 2.1.1 Labels/Logos
 - 2.2 Past Test Results
 - 2.3 Calculations/Modelling
 - 2.3.1 Energy Performance Compliance
 - 2.4 Laboratory Testing
 - 2.4.1 Performance Ratings
 - 2.5 Field Testing
 - 2.6 Field Reviews
- 3.0 Applicable Test Methods
 - 3.1 Test Specimen
 - 3.2 Test Sequence
 - 3.3 Laboratory Test Methods
 - 3.3.1 Air Leakage

- 3.3.2 Water Penetration
 - 3.3.2.1 Static Water Penetration
 - 3.3.2.2 Dynamic Water Penetration
- 3.3.3 Structural Load
- 3.3.4 Vertical Inter-story Displacement
- 3.3.5 Lateral Inter-story Drift
- 3.3.6 Thermal Cycling
- 3.3.7 Additional Tests Requiring Separate Specimens
 - 3.3.7.1 Dynamic Inter-Story Displacement
 - 3.3.7.2 Energy Performance Tests
 - 3.3.7.2.1 Canadian Projects
 - 3.3.7.2.2 United States (US) Projects
- 3.4 Field Test Methods
 - 3.4.1 Air Leakage
 - 3.4.2 Water Penetration
 - 3.4.3 Resistance to Windload
 - 3.4.4 Infrared Thermography

Guideline 3.3 – Project Validation: Shop Drawings and Submittals (6 pages)

- 1.0 Introduction
- 2.0 Shop Drawing Process
 - 2.1 Basic Requirements
 - 2.2 Continuity of Responsibility
 - 2.3 Essential Elements
- 3.0 Submittal Process
 - 3.1 Sequence of Submission
 - 3.2 Review of Submittals
 - 3.3 Qualifications

<u>Guideline 4.1</u> – Installation: Quality and Performance (6 pages)

- 1.0 Introduction
- 2.0 Quality Assurance Pursuit of Quality
- 3.0 Responsibility for Quality and Performance
 - 3.1 Design Team/Ownership Group
 - 3.2 General Contractor
 - 3.3 Glazing Contractor
 - 3.4 Manufacturers/Component Suppliers
- 4.0 Responsibility for Procurements and Installation
 - 4.1 Storefront and Entrance Systems
 - 4.2 Windows, Doors & Window Wall System
 - 4.3 Curtain Wall Systems
 - 4.4 Sloped Glazing Systems
 - 4.5 Structural Glazing

<u>Guideline 4.2</u> – Installation: Coordination and Tolerances (6 pages)

1.0 Introduction

- 2.0 Importance of Coordination
- 3.0 Tolerances vs Clearances
 - 3.1 Architectural Detailing
 - 3.2 Control of Tolerances
- 4.0 Limiting the Impact of Tolerances on Installation

Guideline 4.3 – Installation: Frame Assembly & Glass Installation (15 pages)

- 1.0 Introduction
- 2.0 Industry Practices and Principles
- 3.0 Assembly Methods
 - 3.1 In-shop versus On-site Assembly
- 4.0 Frame Assembly Methodologies
 - 4.1 Mechanical Joineries
 - 4.1.1 Shear Block Assembly
 - 4.1.2 Screw Spline Assembly
- 5.0 Glazing Pocket Clearances
- 6.0 Glass/IGU Installation
 - 6.1 Glass/IGU Setting
 - 6.2 Glazing Methods
 - 6.2.1 Wet Glazing
 - 6.2.2 Dry Glazing
 - 6.2.3 Wet-Dry Glazing
 - 6.2.4 Combination Tapes
 - 6.2.5 Structural Silicone Glazing
- 7.0 Door Assembly
 - 7.1 Door Weathering
 - 7.2 Welded vs. Screwed Connections
 - 7.3 Glass Retaining Stops
 - 7.4 Common Hardware Misapplications
- 8.0 Sill Flashing Installation
 - 8.1 Common Sill Flashing Practice
- 9.0 Welded Construction
 - 9.1 Welding Processes
 - 9.2 Finishing Welded Aluminum

<u>Guideline 4.4</u> – Installation: Care and Maintenance (8 pages)

- 1.0 Introduction
- 2.0 Responsibility for Care and Maintenance
- 3.0 Types of Debris
- 4.0 Protection and Cleaning
 - 4.1 Industry Resources
 - 4.2 Prevention during Handling
 - 4.3 Protective Coverings
 - 4.4 Common Construction Debris Harmful to Glazing
 - 4.4.1 Acids and Alkaline Cleaners

- 4.4.2 Contaminated Runoff
- 4.4.3 Trapped Moisture and Wet-Dry Staining
- 4.4.4 Sealants
- 4.4.5 Stages of Glass Staining
- 4.5 Other Types of Damage
- 4.6 General Cleaning Procedures
- 4.7 Removal of Manufacturers Labels

SPECIFICATION COMMENTARIES

Specifications Introduction (6 pages)

Commentary 084413 – Glazed Aluminum Curtain Walls (7 pages)

Commentary 085000 – Windows (9 pages)

Commentary 088050 – Glazing (14 pages)

End of Table of Contents

GUIDELINES

The Guidelines section of the manual is intended to address basic principles of design, procurement, evaluation and validation, fabrication/assembly, and installation of fenestration systems, with focus on those used for buildings that fall outside the scope of the 2015 National Building Code of Canada (2015 NBCC) Division, B, Part 9, Housing and Small Buildings.

Fenestration systems in buildings that fall within the scope of 2015 NBCC Division B, Part 9 are, usually, addressed by AAMA/WDMA/CSA 101/I.S.2/A440, NAFS — North American Fenestration Standard/Specification for Windows, Doors, and Skylights (NAFS) and the CSA A440S1, Canadian Supplement to AAMA/WDMA/CSA 101/I.S.2/A440, NAFS — North American Fenestration Standard/Specification for Windows, Doors, and Skylights and are not considered in significant detail in this manual.

As the title implies, the Guidelines are intended to provide guidance to the student, the specifier, the designer, the manufacturer, and the installer alike. As such the topics are broad with a range of subject matter covered in varying levels of detail.

It is expected that these guidelines will serve as a starting point to the novice. As well, they may serve as a back-reference document for someone who is looking to obtain a more in-depth understanding of the various issues related to fenestration systems covered in this Manual, including the commentaries, and typical project specifications.

The Guidelines are organized as follows:

- Section 1: Introduction and use of glass as a building material.
- Section 2: Design of fenestration systems
- Section 3: Fenestration system and performance validation
- Section 4: Installation and maintenance